

| DATA SCHEDULE | | | | | | | | | | | | | | | | | | |
|---------------|-----|--------------------------------|--------|---------------|---------------|------|------------|-----|------|------|----------------|-------------------------------|-------------------------------|-------------------------------|-------|----------------------|------|--------------|
| Typo | Sol | e Plo | ate | Sliding Plate | | | Radius | Mas | sonr | y PL | Hole Loc. Hgt. | | Loads (Kips) | | | Total Expansion ± | | |
| Туре | А | В | 0 | Ð | Е | F | G | Н | ŀ | K | Ŀ | М | N | Р | Vert. | Horiz. | Dead | (0°F - 120°) |
| ME36 - I | 21 | 91/2 | 1 1//8 | 20 | 71/2 | 13/4 | 1 <u>+</u> | H | 21 | Н | ł | 8 ¹ / ₂ | 11/2 | 3¾ | 150 | 15 | 75 | ŀ |
| ME36 - I | 2:3 | 101/2 | 2 | 2:2 | 81/2 | 13/4 | 1 <u>+</u> | 12 | 2:3 | 12 | ł | 91/2 | 11/2 | 3¾ | 200 | 20 | 100 | ŀ |
| ME36 - Ⅲ | 25 | $11\frac{1}{2}$ | 2 | 24 | 91/2 | 13/4 | 1 <u>+</u> | 15 | 25 | 13 | ł | 101/2 | 11/2 | 3¾ | 250 | 25 | 125 | ŀ |
| ME36 - Ⅲ | 26 | $13^{1}/_{2}$ | 23/8 | 25 | 111/2 | -/0 | 1 <u>+</u> | 15 | 26 | 16 | ł | Н | 2 | 4 ^l / ₈ | 300 | 30 | 150 | 11/2 |
| ME36 - ∑ | 2.9 | $15^{1}/_{2}$ | 21/2 | 28 | $13^{1}/_{2}$ | 23/8 | 1 <u>+</u> | 18 | 2.9 | 17 | 11/2 | $12^{1}/_{2}$ | 2 | 4 1//8 | 350 | 35 | 175 | 13/4 |
| ME36 - ∑I | 30 | 16 ¹ / ₂ | 23/4 | 2.9 | $14^{1}/_{2}$ | 25/8 | <u>+</u> | 18 | 30 | 20 | 11/2 | 13 | 2 ^l / ₄ | 51/8 | 400 | 40 | 200 | 21/4 |

Note:

1. Sole and masonry plates to be ASTM A 709 Grade 36, steel painted to match finished bridge color, convex plate shall be a self lubricating bronze bearing plate conforming to 910.01.

FHWA APPROVAL

DATE: 6-8-90

- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound
- or elastic joint sealer. 3.1000 RMS (Finish all over) except where otherwise noted.
 4. Rotation 1/2° ± Maximum.
 5. Design Masonry Bearing Load I.O KSI.

- 6. Top of sole plate must be beveled to fit grade of bottom flange.
- 7. Unless otherwise noted, bearings shall be placed normal to & of stringer. 8. Plates are to be shipped as units.

C.S Freedman DIRECTOR DATE: 11/14/80 REVISIONS SHA FHWA 1-4-94 6-9-94 11-17-99 1-22-01


APPROVAL


- 9. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No increase in any prices bid will be allowed if this option is selected.
- 10. All anchor bolts and washers shall be unpainted ASTM A 709 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 307 galvanized steel.
- II. Medium span range is considered 50' to 150' simple span lengths and comparable span continuous units.

STATE OF MARYLAND
DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES

BRONZE EXPANSION BEARING MEDIUM LENGTH SPANS (GRADE 36 STEEL)

STANDARD NO. BR-SS(9.01)-80-114





| | DATA SCHEDULE | | | | | | | | | | |
|-----------|---------------|------|------|-----|------|-------------------------------|-----------|----------------|--------------|------|--|
| Typo | Sol | e Pl | ate | Mas | sonr | y Ł | Hole Loc. | Hgt. | Loads (Kips) | | |
| Туре | A | В | 0 | C A | | Ð | E | F | Vert. | Dead | |
| MF36 - I | 20 | 9 | 13/4 | 20 | 9 | 13/4 | 8 | 31/2 | 150 | 75 | |
| MF36 - I | 2:2 | Н | 2 | 2.2 | Н | 2 | 9 | 4 | 200 | 100 | |
| MF36 - Ⅲ | 24 | 12 | 21/4 | 24 | 12 | 2 ^l / ₄ | 10 | $4\frac{1}{2}$ | 250 | 125 | |
| MF36 - Ⅲ | 26 | 13 | 21/2 | 26 | 13 | 21/2 | Н | 5 | 300 | 150 | |
| MF36 - ∑ | 30 | 15 | 23/4 | 30 | 15 | 23/4 | 13 | 51/2 | 350 | 175 | |
| MF36 - ∑I | 32 | 16 | 3 | 32 | 16 | 3 | 14 | 6 | 400 | 200 | |

- 1. Sole and masonry plates to be ASTM A 709 Grade 36 steel painted to match finished bridge color.
- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound or elastic joint sealer.
- 3.1000 RMS (Finish all over) except where

- otherwise noted.

 4. Rotation ½° ± Maximum.

 5. Design Masonry Bearing Load I.O KSI.

 6. Top of sole plate must be beveled to fit grade of bottom flange.
- 7. Unless otherwise noted, bearings shall be placed normal to & of stringer.

FHWA APPROVAL

DATE: 6-8-90

11-17-99

1-22-01

8. Plates are to be shipped as units.


- 9. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No increase in any prices bid will be allowed if this option is selected.
- 10. All anchor bolts and washers shall be unpainted ASTM A 709 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 307 galvanized steel.
- II. Medium span range is considered 50' to 150' simple span lenaths.


| APPF | ROVAL | |
|-------------|-----------------------|--------------|
| C.S Freedom | DIRECTOR TRUCTURES | DEPA STAT |
|)ATE: 11/14 | /80 | |
| REVIS | SIONS | |
| SHA | FHWA | l |
| 1-4-94 | - | · · |
| 6-9-94 | - | |

STATE OF MARYLAND ARTMENT OF TRANSPORTATION TE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES

> FIXED BEARING MEDIUM LENGTH SPANS (GRADE 36 STEEL)

STANDARD NO. BR-SS(9.02)-80-II5





| | DATA SCHEDULE | | | | | | | | | | | |
|----------|---------------|------|-----|-----|------|-----|-------------------------------|------|--------------|------|--|--|
| Typo | Sol | e Pl | ate | Mas | sonr | y Ł | Hole Loc. | Hgt. | Loads (Kips) | | | |
| Туре | Α | В | C | Α | В | Ð | Е | F | Vert. | Dead | | |
| SE36 - I | 17 | 9 | ŀ | 17 | 9 | ŀ | 6 ¹ / ₂ | 2 | 70 | 16 | | |
| SE36 - I | 19 | 9 | ŀ | 19 | 9 | ŀ | 71/2 | 2 | 85 | 2:3 | | |
| SE36 - Ⅲ | 21 | 9 | ŀ | 21 | 9 | ŀ | 8 ¹ / ₂ | 2 | 100 | 34 | | |

- 36 steel painted to match finished bridge color.
- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound or elastic joint sealer.
- 3.1000 RMS (Finish all over) except where otherwise noted.
- 4. Design Bearing Load 0.7 KSI.
- 5. Top of sole plate must be beveled to fit grade of bottom flange. If sole plate must be beveled, dimension 'C' shall be measured at \$\mathbb{L}\$ of bearing.

 6. Unless otherwise noted, bearings shall
- be placed normal to \$\psi\$ of stringer.
- 7. Plates are to be shipped as units.
- 8. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No FHWA APPROVAL

- I. Sole and masonry plates to be ASTM A 709 Grade increase in any prices bid will be allowed if this option is selected.
 - 9. This bearing for use on simple span steel stringer bridges less than 50′-0″ long and/or comparable continuous span lengths.
 - 10. All anchor bolts and washers shall be unpainted ASTM A 709 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 307 galvanized steel.

APPROVAL C.5 Treedman DIRECTOR DATE: 11/14/80 REVISIONS SHA FHWA 1-4-94

6-9-94

11-17-99


1-22-01


DATE: 6-8-90

STATE OF MARYLAND
DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES

> EXPANSION BEARING SHORT LENGTH SPANS (GRADE 36 STEEL)

STANDARD NO. BR-SS(9.03)-81-128





| | DATA SCHEDULE | | | | | | | | | | |
|----------|---------------|------|-------|-----|------|------|-------------------------------|------|--------------|-----|--|
| Type | Sol | e Pl | ate | Mas | sonr | y PL | Hole Loc. | Hgt. | Loads (Kips) | | |
| Туре | В | 0 | A B D | | E | F | Vert. | Dead | | | |
| SF36 - I | 17 | 9 | ł | 17 | 9 | ł | 6 ¹ / ₂ | 2 | 70 | 16 | |
| SF36 - I | 19 | 9 | ŀ | 19 | 9 | ŀ | 71/2 | 2 | 85 | 2:3 | |
| SF36 - Ⅲ | 21 | 9 | ŀ | 21 | 9 | ŀ | 8 ¹ / ₂ | 2 | 100 | 34 | |

- 1. Sole and masonry plates to be A 709 Grade 36 steel painted to match finished bridge color.
- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound
- or elastic joint sealer. 3.1000 RMS (Finish all over) except where otherwise noted.
- 4. Design Bearing Load 0.7 KSI.
- 5. Top of sole plate must be beveled to fit grade of bottom flange. If sole plate must be beveled, dimension 'C' shall be measured at & of bearing.

 6. Unless otherwise noted, bearings shall
- be placed normal to & of stringer.
- 7. Plates are to be shipped as units.
- 8. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No FHWA APPROVAL

- increase in any prices bid will be allowed if this option is selected.
- 9. This bearing for use on simple span steel stringer bridges less than 50'-0" long and/or comparable continuous span lengths.
- 10. All anchor bolts and washers shall be unpainted A 709 Grade 36 galvanized steel. All nuts shall be unpainted A 307 galvanized steel.

| APPROVAL | | | | | | | |
|-------------|-----------|--|--|--|--|--|--|
| OFFICE OF S | TRUCTURES | | | | | | |
| REVISIONS | | | | | | | |
| SHA | FHWA | | | | | | |
| 6-8-93 | - | | | | | | |
| | | | | | | | |

1-4-94

6-9-94


11-17-99


DATE: 6-8-90

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES


> FIXED BEARING SHORT LENGTH SPANS (GRADE 36 STEEL)

STANDARD NO. BR-SS(9.04)-81-129





SUTER - BEARIN



| | DATA SCHEDULE | | | | | | | | | | | | | | | | | |
|-----------|---------------|---------------|------|-----|--------------------------------|-------------------------------|----------|--------|-----------|-----|------|------------------|------|-------|--------------|--------|------|-----------------------------|
| Typo | Sol | e Pl | ate | Sli | Sliding Plate | | | Radius | Masonry P | | | Hole Loc. | | Hgt. | Loads (Kips) | | ps) | Total |
| Туре | Α | В | 6 | Ð | E | F | G | Н | ن | K | Ŀ | М | N | Ρ | Vert. | Horiz. | Dead | Expansion ± (0°F - I20°) |
| ME50 - I | 21 | 91/2 | 13/4 | 20 | 71/2 | | <u>+</u> | Н | 21 | Н | ł | 8l/ ₂ | 11/2 | 3¾ | 145 | 10 | 70 | 11/2 |
| ME50 - I | 2:3 | 101/2 | 1% | 2.2 | 81/2 | 13/4 | <u>+</u> | 12 | 2:3 | 12 | ł | 91/2 | 11/2 | 3¾ | 185 | 15 | 90 | 11/2 |
| ME50 - Ⅲ | 25 | 111/2 | 2 | 24 | 91/2 | 13/4 | <u>+</u> | 15 | 25 | 13 | ł | 101/2 | 11/2 | 3¾ | 225 | 20 | ΠŌ | 11/2 |
| ME50 - Ⅲ | 26 | $14^{1}/_{2}$ | | 25 | $12^{1/2}$ | 2 | <u>+</u> | 18 | 26 | 16 | ł | Н | 2 | 4 | 310 | 30 | 155 | 21/2 |
| ME50 - ∑ | 2.9 | $15^{1}/_{2}$ | 23% | 28 | $13^{1}/_{2}$ | 2 ^l / ₄ | <u>+</u> | 18 | 2.9 | 17 | 11/2 | $12^{1/2}$ | 2 | 4¾ | 375 | 35 | 185 | 21/2 |
| ME50 - ∑I | 30 | 16!/2 | 21/2 | 2.9 | $14^{1}/_{2}$ | 23% | +1 | 19 | 30 | 20 | 11/2 | 13 | 21/2 | 41//8 | 420 | 40 | 210 | 31/2 |
| ME50 - আ | 31 | 181/2 | 21/2 | 30 | 15 ¹ / ₂ | 23/8 | <u>+</u> | 2:2 | 31 | 2:3 | 2 | $13^{1}/_{2}$ | 3 | 5% | 460 | 45 | 230 | 41/2 |
| ME50 - Ⅷ | 3:2 | 191/2 | 25% | 31 | 16 [!] / ₂ | 21/2 | <u>+</u> | 2:3 | 3:2 | 24 | 21/2 | 14 | 31/2 | 6 | 510 | 50 | 255 | 51/2 |

Note:

1. Sole and masonry plates to be ASTM A 709 Grade 50, steel painted to match finished bridge color, convex plate shall be a self lubricating bronze bearing plate conforming to 910.01.

FHWA APPROVAL

DATE:

2. Fill slots and holes around anchor bolts with nonhardening caulking compound or elastic joint sealer. 3.1000 RMS (Finish all over) except where

otherwise noted.
4. Rotation 1/2° ± Maximum.
5. Design Masonry Bearing Load I.O KSI.

6. Top of sole plate must be beveled to fit grade of bottom flange.

7. Unless otherwise noted, bearings shall be placed normal to & of stringer. 8. Plates are to be shipped as units.

DATE: 11/19/99 REVISIONS SHA FHWA 3-7-00 9-15-00 1-22-01

APPROVAL

C.S Freedman DIRECTOR

9.If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No increase in any prices bid will be allowed if this option is selected.


10. All anchor bolts and washers shall be unpainted ASTM A 709 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 307 galvanized steel.

II. Medium span range is considered 50' to 150' simple span lengths and comparable span continuous units.

> STATE OF MARYLAND
> DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES

BRONZE EXPANSION BEARING MEDIUM LENGTH SPANS (GRADE 50 STEEL)

STANDARD NO. BR-SS(9.05)-99-335



| | DATA SCHEDULE | | | | | | | | | | | | | | | | | |
|-----------|---------------|---------------|-------------------------------|---------------|------------------|-------------------------------|---------------------------------|--------|--------------|-----|------|--------------------------------|-------------------------------|----------------|----------------|--------------------|------------------------|-------------------------------|
| Туре | Sol | e Plo | ate | Sliding Plate | | | | Radius | us Masonry P | | | | Hole Loc. Hgt | | Max. Bottom | Strength Limits | Service Limit State | Allow Exp.(+/-) |
| Турс | Α | В | C | Ð | Ε | F | G | Н | ڶ | K | Ŀ | М | N | Р | FI. W. | State Loads | Loads | (Note 4) |
| ME50 - I | 21 | 91/2 | 13/4 | 20 | 71/2 | | <u>+</u> | Н | 21 | H | ł | 8l/ ₂ | 11/2 | 3¾ | 12 | 200 k | 120 k | 3/4 |
| ME50 - I | 2:3 | $10^{1/2}$ | 1 1/8 | 2:2 | 8l/ ₂ | 13/4 | ± | 12 | 2:3 | 12 | ł | 91/2 | 13/4 | 3¾ | 14 | 300 k | 185 k | ł |
| ME50 - Ⅲ | 25 | $12^{1/2}$ | 2 | 24 | 91/2 | 13/4 | ± | 15 | 25 | 13 | 11/4 | 101/2 | 2 | 4 | 16 | 400 k | 250 k | 11/4 |
| ME50 - IV | 2.7 | $13^{1}/_{2}$ | 21/8 | 26 | H | 2 | <u>+</u> | 16 | 2.7 | 16 | 11/4 | 111/2 | 2 ^l / ₄ | $4^{l}/_{4}$ | 18 | 500 k | 310 k | 11/2 |
| ME50 - ∑ | 2.9 | $15^{1}/_{2}$ | 2¾ | 28 | 1:3 | 2 ^l / ₄ | <u>+</u> | 18 | 2.9 | 17 | 11/2 | $12^{J}/_{2}$ | , _ | $4\frac{3}{4}$ | 20 | 600 k | 375 k | 13/4 |
| ME50 - ∑I | 31 | 1.7 | $2\frac{1}{2}$ | 30 | $14^{1}/_{2}$ | , 0 | Ι± | 20 | 31 | 20 | 11/2 | 131/2 | 2¾ | | 22 | 700 k | 440 k | 2 |
| ME50· - আ | 3:3 | 181/2 | $2\frac{1}{2}$ | 32 | $15^{1}/_{2}$ | 2¾ | Ι± | 2:3 | 3:3 | 2:3 | 2 | $14^{J}/_{2}$ | 3 | 5% | 24 | 800 k | 505 k | 2 ^I / ₄ |
| ME50 - Ⅷ | 35 | 19 | 25/8 | 34 | 161/2 | , _ | Ι± | 2:3 | 35 | 24 | 21/2 | $15\frac{1}{2}$ | 3l/ ₄ | 6 | 26 | 900 k | 570 k | 21/2 |
| ME50 - IX | 3.7 | 21 | 3 | 36 | $17^{1}/_{2}$ | - / - | 1 ¹ /4± | | 3.7 | 25 | _ | 16 ¹ / ₂ | $3\frac{1}{2}$ | 61/2 | 28 | 1000 k | 635 k | 23/4 |
| ME50 - X | 3.9 | 21 | 3 | 38 | $17^{1}/_{2}$ | 23/4 | 1 ¹ / ₄ ± | 26 | 3.9 | 26 | 2¾ | $17^{1/2}$ | 4 | 6¾ | 30 | IIOO k | 700 k | 3 ^l / ₄ |
| ME50 - XI | 41 | 2:2 | 3 ¹ / ₄ | 40 | 18 | 3 | $1\frac{1}{2}$ | 28 | 41 | 2.7 | 3 | 18 ¹ / ₂ | $4\frac{l}{2}$ | 71/2 | 32 | 1200 k | 760 k | 3¾ |

- 1. Sole and masonry plates to be ASTM A 709 color, convex plate shall be a self lubricating bronze bearing plate conforming to 910.01.
- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound
- or elastic joint sealer. 3.1000 RMS (Finish all over) except where otherwise noted.
- 4. Allowable expansion is based on a 60°F. temperature change from center slot setting at 60°F.
- 5. Compressive strength of concrete bearing area shall be 3.5 ksi or greater.
- 6. Top of sole plate must be beveled to fit grade of bottom flange.
- 7. Unless otherwise noted, bearings shall be placed normal to ¢ of stringer.

FHWA APPROVAL

DATE: 7-19-11

8. Plates are to be shipped as units.

- Grade 50, steel painted to match finished bridge 9. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No increase in any prices bid will be allowed if this option is selected.
 - 10. All anchor bolts and washers shall be unpainted ASTM F 1554 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 563 galvanized steel.
 - II. The maximum design rotation due to strength load combinations (θu) = 0.75".

| | 000 | | | | | | | |
|--------------------------------------|-------|--|--|--|--|--|--|--|
| APPROVAL | | | | | | | | |
| OFFICE OF STRUCTURES DATE: 11/19/99 | | | | | | | | |
| REVIS | SIONS | | | | | | | |
| SHA | FHWA | | | | | | | |
| 1-22-01 | | | | | | | | |
| 10-9-07 | - | | | | | | | |


1-21-09

STATE OF MARYLAND
DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES



BRONZE EXPANSION BEARING





FOR ALL GIRDERS WITH SPAN LENGTHS 150' OR GREATER Scale: 11/2" = 1'-0"

To accommodate AASHTO Requirements, bearings for girders 150' or greater shall be extended to accommodate 2 additional bolts. Size and details of all 4 anchor bolts to be the same as that required for 2 bolt bearings.

*Edges may be left as cut or cast.

**Where bridge is not skewed, & Brg. and \$\Delta\$ shoe are coincident.

| APPR | APPROVAL | | | | | | | | | | |
|---|-----------|--|--|--|--|--|--|--|--|--|--|
| C.S Freedom OFFICE OF S DATE: 11/19 | TRUCTURES | | | | | | | | | | |
| REVIS | SIONS | | | | | | | | | | |
| SHA | FHWA | | | | | | | | | | |

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES


BRONZE EXPANSION BEARING MEDIUM LENGTH SPANS (GRADE 50 STEEL)

FHWA APPROVAL STANDARD NO. BR-SS(9.05)-99-335

SHEET 3 OF 3

SUPER

BEARINGS



- 2. Pad and support not shown.
- 3. Sliding plate not shown.

FOR ALL GIRDERS WITH SPAN LENGTHS 150' OR GREATER Scale: 11/2" = 1'-0"

Bearings for girders 150' or greater shall be extended to accommodate 2 additional bolts. Size and details of all 4 anchor bolts to be the same as that required for 2 bolt bearings.

*Edges may be left as cut or cast.

**Where bridge is not skewed, & Brg. and \$\bigseleft\$ shoe are coincident.

| APPROVAL |
|--|
| C.5 Freedman DIRECTOR OFFICE OF STRUCTURES |
| DATE: 11/19/99 |
| REVISIONS |
| 01.14 |


STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES


BRONZE EXPANSION BEARING MEDIUM LENGTH SPANS (GRADE 50 STEEL)

STANDARD NO. BR-SS(9.05)-99-335(L)


SHEET 3 OF 3

| | SHA | FHWA |
|---------------|---------|------|
| | 10-9-07 | |
| | | • |
| FHWA APPROVAL | | • |
| DATE: | | |
| | | |





SUPER - BEARIN



| DATA SCHEDULE | | | | | | | | | | |
|---------------|-----|------|-------------------------------|-------|------|-------------------------------|-----------|------|--------------|------|
| Typo | Sol | e Pl | ate | Mas | sonr | y PL | Hole Loc. | Hgt. | Loads (Kips) | |
| Туре | A | В | 0 | A B D | | | E | F | Vert. | Dead |
| MF50 - I | 20 | 9 | 13/4 | 20 | 9 | 13/4 | 8 | 31/2 | 175 | 85 |
| MF50 - I | 2:2 | Н | 17/8 | 2:2 | Н | 1% | 9 | 3¾ | 240 | 120 |
| MF50 - Ⅲ | 24 | 12 | 2 | 24 | 12 | 2 | 10 | 4 | 285 | 140 |
| MF50 - Ⅲ | 26 | 13 | 2 ^l / ₄ | 26 | 13 | 2 ^l / ₄ | Н | 41/2 | 335 | 165 |
| MF50 - ∑ | 30 | 15 | 21/2 | 30 | 15 | 21/2 | 13 | 5 | 445 | 220 |
| MF50 - ∑ | 3:2 | 16 | 23/4 | 3:2 | 16 | 23/4 | 14 | 51/2 | 510 | 255 |
| MF50 - Ⅶ | 34 | 18 | 21//8 | 34 | 18 | 21//8 | 15 | 5¾ | 610 | 305 |
| MF50 - Ⅷ | 36 | 20 | 3 | 36 | 20 | 3 | 16 | 6 | 715 | 355 |

FHWA APPROVAL

- I. Sole and masonry plates to be ASTM A 709Grade 50 steel painted to match finished bridge color.
- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound or elastic joint sealer.
- 3.1000 RMS (Finish all over) except where

- otherwise noted.

 4. Rotation ½° ± Maximum.

 5. Design Masonry Bearing Load I.O KSI.


 6. Top of sole plate must be beveled to fit grade of bottom flange.
- 7. Unless otherwise noted, bearings shall be placed normal to & of stringer.
- 8. Plates are to be shipped as units.

- 9. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No increase in any prices bid will be allowed if this option is selected.
- 10. All anchor bolts and washers shall be unpainted ASTM A 709 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 307 galvanized steel.
- II. Medium span range is considered 50' to 150' simple span lengths.

| APPR | OVAL | STATE OF MARYLAND | | | | | |
|----------------------------|--------------------------------|--|--|--|--|--|--|
| C.S Freedom OFFICE OF S | <u>~</u> DIRECTOR TRUCTURES | DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION | | | | | |
| DATE: 11/19/99 | | OFFICE OF STRUCTURES | | | | | |
| REVIS | SIONS | FIXED BEARING | | | | | |
| SHA | FHWA | MEDIUM LENGTH SPANS | | | | | |
| 1-22-01 | | (GRADE 50 STEEL) | | | | | |
| 3-13-01 | | TOTABL 30 STELL | | | | | |

STANDARD NO. BR-SS(9.06)-99-336

SHEET 2 OF 3



| DATA SCHEDULE | | | | | | | | | | | |
|---------------|-----|------|-------------------------------|-----|------|-------------------------------|-----------|-------------------------------|--------------------|----------|----------------------|
| т | Sol | e Pl | ate | Mas | sonr | y PL | Hole Loc. | Hgt. | Max | Strength | Service |
| Туре | А | В | C | Α | В | Ð | E | F | Bottom Fl.Width | Loads | Limit State Loads |
| MF50 - I | 20 | 9 | 13/4 | 20 | 9 | 13/4 | 8 | 31/2 | 12 | 300 k | 185 k |
| MF50 - I | 2.2 | Н | 1 1 1/8 | 2.2 | H | 1 1 1/8 | 9 | 3¾ | 14 | 400k | 250 k |
| MF50 - Ⅲ | 24 | 12 | 2 | 2.4 | 12 | 2 | 10 | 4 | 16 | 500k | 310 k |
| MF50 - Ⅲ | 26 | 13 | 2 ^l / ₄ | 26 | 13 | 2 ^l / ₄ | I·l | 41/2 | 18 | 600k | 375 k |
| MF50 - ∑ | 30 | 15 | 21/2 | 30 | 15 | 21/2 | 13 | 5 | 2:2 | 700k | 440 K |
| MF50 - ∑ | 3:2 | 16 | 23/4 | 3:2 | 16 | 23/4 | 14 | 51/2 | 24 | 800k | 505k |
| MF50 - Ⅲ | 34 | 18 | 2 1/8 | 34 | 18 | 2 1/8 | 15 | 5¾ | 26 | 900k | 570 k |
| MF50 - Ⅷ | 36 | 20 | 3 | 36 | 20 | 3 | 16 | 6 | 28 | 1000k | 635 k |
| MF50 - IX | 38 | 2.2 | 3 | 38 | 2:2 | 3 | 17 | 6 | 30 | 1100k | 700 K |
| MF50 - X | 40 | 24 | 3 ¹ / ₄ | 40 | 24 | 3 ¹ / ₄ | 18 | 6 ^l / ₂ | 3:2 | 1200k | 760 K |

Note:

- 1. Sole and masonry plates to be ASTM A 709 Grade 50 steel painted to match finished bridge color.
- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound or elastic joint sealer.
- 3.1000 RMS (Finish all over) except where otherwise noted.
- 4. Compressive strength of concrete bearing area shall be 3.5 ksi or greater.
- 5. Top of sole plate must be beveled to fit grade of bottom flange.
- 6. Unless otherwise noted, bearings shall be placed normal to & of stringer.
- 7. Plates are to be shipped as units.


- 8. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No increase in any
- prices bid will be allowed if this option is selected.

 9. All anchor bolts and washers shall be unpainted ASTM F 1554 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 563 galvanized steel.
- 10. The maximum design rotation due to strength load combinations (θu) = 0.75".

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES



FIXED BEARING MEDIUM LENGTH SPANS (GRADE 50 STEEL)



I. Nut not shown.

2. Pad and support not shown.

FOR ALL GIRDERS WITH SPAN LENGTHS 150' OR GREATER Scale: 1/2'' = 1'-0''

Note:

To accommodate AASHTO Requirements, bearings for girders 150' or greater shall be extended to accommodate 2 additional bolts. Size and details of all 4 anchor bolts to be the same as that required for 2 bolt bearings.

* Edges may be left as cut or cast.

**Where bridge is not skewed, & Brg. and & shoe are coincident.

| APPROVAL | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| <u>C.S Fredom</u> DIRECTOR OFFICE OF STRUCTURES | | | | | | | | |
| DATE: ///9/99 | | | | | | | | |
| REVISIONS | | | | | | | | |

STATE OF MARYLAND
DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION
OFFICE OF STRUCTURES

FIXED BEARING MEDIUM LENGTH SPANS (GRADE 50 STEEL)


| | SHA | FHWA | |
|---------------|-----|------|----------|
| | | | |
| | | | |
| FHWA APPROVAL | | | CTANDADD |
| DATE: . | | | STANDARD |
| | | | |

STANDARD NO. BR-SS(9.06)-99-336

SHEET <u>3</u> OF <u>3</u>

SUPER

BEARING



FOR ALL GIRDERS WITH SPAN LENGTHS 150' OR GREATER Scale: 11/2" = 1'-0"

Bearings for girders 150'or greater shall be extended to accommodate 2 additional bolts. Size and details of all 4 anchor bolts to be the same as that required for 2 bolt bearings.

*Edges may be left as cut or cast.

**Where bridge is not skewed, & Brg. and \$\bigseleft\$ shoe are coincident.

| APPROVAL | | | | | | | | |
|----------|-------------------|--|--|--|--|--|--|--|
| P.5 G | Treedmon DIRECTOR | | | | | | | |
| OFFICE | OF STRUCTURES | | | | | | | |
| DATE: | 11/19/99 | | | | | | | |

REVISIONS SHA

10-9-07

FHWA


STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES


FIXED BEARING MEDIUM LENGTH SPANS

(GRADE 50 STEEL)

FHWA APPROVAL STANDARD NO. BR-SS(9.06)-99-336(L)

SHEET 3 OF 3






10-9-07

8-19-09

STANDARD NO. BR-SS(9.07)-99-337(L)

FHWA APPROVAL

SHEET ___ OF_2



| DATA SCHEDULE | | | | | | | | | | |
|--|----|---|---|----|---|---|-------------------------------|--------|-------|------|
| Sole Plate Masonry & Hole Loc. Hgt. Loads (Kips) | | | | | | | | (Kips) | | |
| Туре | А | В | 0 | А | В | Ð | E | F | Vert. | Dead |
| SE50 - I | 17 | 9 | ŀ | 17 | 9 | ŀ | 6 ¹ / ₂ | 2 | 70 | 16 |
| SE50 - I | 19 | 9 | ŀ | 19 | 9 | ŀ | 71/2 | 2 | 85 | 2:3 |
| SE50 - Ⅲ | 21 | 9 | ŀ | 21 | 9 | ŀ | 81/2 | 2 | 100 | 34 |

- 50 steel painted to match finished bridge color.
- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound or elastic joint sealer.
- 3.1000 RMS (Finish all over) except where otherwise noted.
- 4. Design Bearing Load 0.7 KSI.
- 5. Top of sole plate must be beveled to fit grade of bottom flange. If sole plate must be beveled, dimension 'C' shall be measured at & of bearing.
 6. Unless otherwise noted, bearings shall
- be placed normal to \$\psi\$ of stringer.
- 7. Plates are to be shipped as units.
- 8. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No FHWA APPROVAL

DATE:


- I. Sole and masonry plates to be ASTM A 709 Grade increase in any prices bid will be allowed if this option is selected.
 - 9. This bearing for use on simple span steel stringer bridges less than 50′-0″ long and/or comparable continuous span lengths.
 - 10. All anchor bolts and washers shall be unpainted ASTM A 709 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 307 galvanized steel.

APPROVAL C.S. Freedman DIRECTOR DATE: 11/19/99 REVISIONS SHA FHWA

STATE OF MARYLAND
DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES

> EXPANSION BEARING SHORT LENGTH SPANS (GRADE 50 STEEL)

STANDARD NO. BR-SS(9.07)-99-337



| DATA SCHEDULE | | | | | | | | | |
|---------------|-----|------|------|-----------|---------|------|-------------------------------|------|----------------------|
| Typo | Sol | e Pl | ate | Masonry P | | | Hole Loc. | Hgt. | Service Loads (Kips) |
| Туре | Α | В | C | Α | A B D E | | | | Vert. |
| SE50 - I | 17 | 9 | + | 17 | 9 | ŀ | 6 ¹ / ₂ | 2 | 7-0 |
| SE50 - I | 19 | 9 | 11/4 | 19 | 9 | 11/4 | 71/2 | 21/2 | 85 |
| SE50 - Ⅲ | 21 | 9 | 11/4 | 21 | 9 | 11/4 | 8 ¹ / ₂ | 21/2 | 100 |

- 50 steel painted to match finished bridge color.
- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound or elastic joint sealer.
- 3.1000 RMS (Finish all over) except where otherwise noted.
- 4. Top of sole plate must be beveled to fit grade of bottom flange. If sole plate must be beveled, dimension 'C' shall be measured at \$\empty\$ of bearing.
- 5. Unless otherwise noted, bearings shall be placed normal to \$\psi\$ of stringer.
- 6. Plates are to be shipped as units. 7. If more than one size bearing is called
- for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No

FHWA APPROVAL

DATE:

I. Sole and masonry plates to be ASTM A 709 Grade increase in any prices bid will be allowed if this option is selected.


- 8. This bearing for use on simple span steel stringer bridges less than 50'-0" long and/or comparable continuous span lengths.
- 9. All anchor bolts and washers shall be unpainted ASTM A 709 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 307 galvanized steel.


| APPROVAL | | | | | | | | |
|--|------|--|--|--|--|--|--|--|
| C.5 Fude DIRECTOR OFFICE OF STRUCTURES DATE: 11/19/99 | | | | | | | | |
| REVISIONS | | | | | | | | |
| SHA | FHWA | | | | | | | |
| 10-9-07 | - | | | | | | | |

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES



STANDARD NO. BR-SS(9.07)-99-337(L)





10-9-07

8-19-09


STANDARD NO. BR-SS(9.08)-99-338(L)

FHWA APPROVAL

DATE:

SUPER - BEARING

SHEET ___ OF_2



| DATA SCHEDULE | | | | | | | | | | |
|---------------|-----------------------------|---|---|----|---|---|-------------------------------|------|-------|--------|
| Typo | Sole Plate Masonry & Hole L | | | | | | | Hgt. | Loads | (Kips) |
| Туре | А | В | 0 | Α | В | Đ | E | F | Vert. | Dead |
| SF50 - I | 17 | 9 | ł | 17 | 9 | ł | 6 ¹ / ₂ | 2 | 70 | 16 |
| SF50 - I | 19 | 9 | ł | 19 | 9 | ł | 71/2 | 2 | 85 | 2:3 |
| SF50 - Ⅲ | 21 | 9 | ŀ | 21 | 9 | ł | 8 ¹ / ₂ | 2 | 100 | 34 |

- 50 steel painted to match finished bridge color.
- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound or elastic joint sealer.
- 3.1000 RMS (Finish all over) except where otherwise noted.
- 4. Design Bearing Load 0.7 KSI.
- 5. Top of sole plate must be beveled to fit grade of bottom flange. If sole plate must be beveled, dimension 'C' shall be
- measured at φ of bearing. 6. Unless otherwise noted, bearings shall be placed normal to \$\psi\$ of stringer.
- 7. Plates are to be shipped as units.
- 8. If more than one size bearing is called for, Contractor may furnish all bearings of the larger size provided the bearing pads are altered to accommodate same. No FHWA APPROVAL

DATE:


- I. Sole and masonry plates to be ASTM A 709 Grade increase in any prices bid will be allowed if this option is selected.
 - 9. This bearing for use on simple span steel stringer bridges less than 50′-0″ long and/or comparable continuous span lengths.
 - 10. All anchor bolts and washers shall be unpainted ASTM A 709 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 307 galvanized steel.

APPROVAL C.S Freedman DIRECTOR DATE: 11/19/99 REVISIONS SHA FHWA 1-22-01

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES

> FIXED BEARING SHORT LENGTH SPANS (GRADE 50 STEEL)

STANDARD NO. BR-SS(9.08-99-338



| DATA SCHEDULE | | | | | | | | | |
|---------------|-----|------|-----|-----|------|-----|-------------------------------|------|----------------------|
| Typo | Sol | e Pl | ate | Mas | sonr | y Ł | Hole Loc. | Hgt. | Service Loads (Kips) |
| Туре | А | В | 0 | А | В | Ð | E | F | Vert. |
| SF50 - I | 17 | 9 | ŀ | 17 | 9 | ł | 6 ¹ / ₂ | 2 | 7:0 |
| SF50 - I | 19 | 9 | ŀ | 19 | 9 | ł | 71/2 | 2 | 85 |
| SF50 - Ⅲ | 21 | 9 | ŀ | 21 | 9 | ŀ | 81/2 | 2 | 100 |

- 50 steel painted to match finished bridge color.
- 2. Fill slots and holes around anchor bolts with nonhardening caulking compound or elastic joint sealer.
- 3.1000 RMS (Finish all over) except where otherwise noted.
- 4. Top of sole plate must be beveled to fit grade of bottom flange. If sole plate must be beveled, dimension 'C' shall be measured at $\not\in$ of bearing.
- 5. Unless otherwise noted, bearings shall be placed normal to & of stringer.
- 6. Plates are to be shipped as units. 7. If more than one size bearing is called for, Contractor may furnish all
 - bearings of the larger size provided the bearing pads are altered to accommodate same. No

I.Sole and masonry plates to be ASTM A 709 Grade increase in any prices bid will be allowed if this option is selected.

- 8. This bearing for use on simple span steel stringer bridges less than 50'-0" long and/or comparable continuous span lengths.
- 9. All anchor bolts and washers shall be unpainted ASTM A 709 Grade 36 galvanized steel. All nuts shall be unpainted ASTM A 307 galvanized steel.

| APPROVAL | | | | | | | | |
|--------------------------------------|------|--|--|--|--|--|--|--|
| OFFICE OF STRUCTURES DATE: 11/19/99 | | | | | | | | |
| REVISIONS | | | | | | | | |
| SHA | FHWA | | | | | | | |
| 1-22-01 | | | | | | | | |

10-9-07

FHWA APPROVAL

DATE:

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF STRUCTURES



SHORT LENGTH SPANS (GRADE 50 STEEL)